

INVITATION FOR BIDS

BID DUE DATE: March 5, 2021 (5:00pm MDST)

Invitation: GM (CHEVROLET) Bid's for: One (1) END MOUNT SLIP-ON FIREFIGHTING BRUSH UNIT
EIGHT (8) STAFF VEHICLES (PICK-UP TRUCKS)
TWO (2) STAFF VEHICLES (SUV)

BID NO. 21-02-2424LE

The Navajo Nation is currently releasing an RFP for One Type 6 Brush Truck, Eight four wheel drive pickup trucks, and two staff sports utility vehicles. In order to maintain like equipment, maintenance and overall fleet stability, the Navajo Nation desires to utilize a single bidder for this RFP. Bidder shall bid these vehicles as a package with all specified vehicles included.

CONTACT PERSON: Larry Chee, Fire Chief
Navajo Nation Fire and Rescue Services
Division of Public Safety

THE NAVAJO NATION
Telephone Number: (928) 871-6915
FAX Number: (928) 871-6917

RETURN ALL RESPONSES TO:
DELIVER TO: THE NAVAJO NATION
Purchasing Services Department
Admin. Building One
Window Rock Blvd.
Window Rock, Arizona 86515
ATTN: Jeremy Ben

BID NO. 21-02-2424LE

MAIL TO: OR

THE NAVAJO NATION
Purchasing Services Department
Post Office Box 3150
Window Rock, Arizona 86515
ATTN: Jeremy Ben

BID NO. 21-02-2424LE

DRAWINGS

To ensure unit will be built to the customer's specifications, C.A.D. drawings from multiple angles of the complete package will be provided to the buyer prior to construction of the unit. Drawings must be kept on file for five years at the contractor's facility.

*(Must identify Bid# and Company Name on the outside of all sealed packaging/
envelopes)*

Please submit an original, and two (2) copies of your bid.

SPECIFICATION-BRUSH TRUCK

QTY

STRIKE TEAM 400 GALLON TYPE 6 PACKAGE A: FULLY BAFFLED POLY TANK, 2" ALUMINUM FRAME, DIAMOND PLATE TOP & REAR PLATFORM, STAINLESS STEEL PLUMBING, STAINLESS STEEL CONTROL PANEL, 4 GALLON POWDER COATED ALUMINUM FUEL CELL, WINTERIZATION SYSTEM, ELECTRIC PRIMER, LED WATER/FOAM LEVEL GAUGE, DIAMOND PLATE STEP OVER PLUMBING ON PLATFORM, CFE FOAM FLOW, 18HP BRIGGS & STRATTON MOTOR W/ CF-120 PUMP, HANNAY ELECTRIC HOSE REEL W/ 3/4"X200' BOOSTER HOSE 2" SUCTION, 1.5" DISCHARGE, 1" TANK FILL, 1.5" HYDRANT FILL, 1.5" PREPLUMBED DISCHARGE FOR FRONT BUMPER FLATBED & BOXES ALL ALUMINUM 120" X 96" FLATBED, LED MARKER LIGHTS, LED REVERSE LIGHTS, LED BRAKE LIGHTS, DUAL ALUMINUM STEPS, HITCH, PVC SUCTION HOSE TRAY, DRIVER SIDE EQUIPMENT BOX – 3 DOOR DESIGN, GAS SHOCKS, LED LIGHTING, ADJUSTABLE SHELIVING, TURTLE TILE FLOORS, BUILT IN AIR VENTS, HYDROFLANGE SEAL, PASSANGER SIDE EQUIPMENT BOX – 2 DOOR DESIGN, GAS SHOCKS, LED LIGHTING, ADJUSTABLE SHELIVING, TURTLE TILEFLOORS, BUILT IN AIR VENTS, HYDROFLANGE SEAL, CROSS FRAME BOX – DOUBLE DOOR DESIGN, GAS SHOCKS, HYDROFLANGE SEAL, BUILT IN AIR VENTS, DUAL UNDER BODY BOXES, DROP DOWN STYLE, HYDROFLANGE SEAL LIVE 1.5" HOSE TRAY WITH EQUIPMENT DRAWER, HYDROFLANGE SEAL, TURTLE TILE FLOOR, UNDER REEL EQUIPMENT DRAWER, HYDROFLANGE SEAL, TURTLE TILE FLOOR, ALUMINUM EQUIPMENT BASKET ON TOP OF TANK FEDERAL SIGNAL LIGHTING PACKAGE 53" ALLEGIANT SERIAL LIGHTBAR – HOOK MOUNT PATHFINDER SIREN/LIGHT MODULE W/ DUAL DYNAMAX SPEAKERS, X4-LED MICRO PULSE GRILL LIGHTS, X6-LED MICRO PULSE SIDE LIGHTS, X2-LED MICRO PULSE REAR LIGHTS 24" LATITUDE REAR FLASHING LIGHT W/ BRACKETS X2 LED COMMANDER WORK LIGHTS CENTER CONSOLE TROY PRODUCTS 25" OR 30" WIDE BODY CONSOLE, BASEPLATE, SUNGLASS HOLDER, BEVERAGE HOLDER, MAGNETIC MIC CLIP, ARM REST, X2 USB PLATE, ALL POWDER COATED BLACK KUSSMAUL ELECTRICAL SYSTEM SUPER AUTO EJECT 20 AMP W/ DISPLAY PLUG LPC 20 AMP CHARGING SYSTEM MOUNTED INSIDE CAB	1
UPGRADE PUMP TO DARLEY 2BE-24K KUBOTA DEISEL PUMP, ADD	1
UPGRADE FOAM SYSTEM TO FOAM PRO 1601, ADD	1
UPGRADE TRASVERSE FRONT BOX TO PULL-OUT COMPARTMENTS, ADD	2
STORAGE COMPARTMENT TOP BASKETS, ADD	2
COLOR MATCH POWDERCOAT ALL STORAGE COMPARTMENTS, ADD	1
COLOR MATCH POWDERCOAT ALL PLATFORMS AND BASKETS, ADD	1
SUPER SINGLE PACKAGE, INCLUDES: DBL SUPER SINGLE CONVERSION KIT, 2.5" COIL OVER LIFT, NEW COILS AND RADIUS ARMS, 335 RADIAL TIRES ON 20" BLACK POWDER COATED WHEELS, 8" WIDE LINE-X COVERED FENDER FLARES, WIDE STYLE BUCK STOP BUMPER W/ 12K LB WARN WINCH, PIAA 6" LED LIGHT NFPA FIXED CAB STEPS, SPEEDOMETER CALIBRATION, ADD	1
1.5 FORWARD DISCHARGE LINE AND 4 120 DEGREE ELECTRIC SPRAY NOZZLES MOUNTED UNDER FRONT BUMPER, ADD	1
ELKHART BRUSH HAWK REMOTE CONTROLL MONITOR PACKAGE: NOZZLE, VALVE, JOYSTICK CONTROL, ADD	1
INTERIOR PUMP CONTROL PANEL	1
FRC SPECTRA MS 14K LUMEN LED TELESCOPIC LIGHT, 12V	1
SIDE MOUNTED FOLD OUT STEP	1

VEHICLE RADIO/COMMUNICATION EQUIPMENT

		QTY
BB2DDDD-LBIIPKG20	Whelen Libert II Duo Custom Lightbar	1
C399	Whelen CenCom Core Siren	1
CCTL6	Whelen CCTL6 Control Head for CenCom Core Required CenCom Core	1
C399K2	Whelen ODBII CanPort Cable	1
CEM16	Whelen 16 Output, 4 Input WeCanX Expansion Module	1
COREHEXP1	*** Required C399 Siren Amplifer ***	
COREHEXP2	KDBCO Core Expansion Output Harness	1
	KDBCO Core Expansion Output Harness	1
SA315P	Whelen SA315P 100 Watt Speaker	1
SAK1	Whelen SA315P Bracket Universal	1
	Whelen SA315P Bracket - sak-model:Universal	
ARGES1	Whelen ARGES1 ARGES 5 Degree Remote Spot light	1
ARGCH1	Whelen ARGCH1 Arges Bail Mnt contro Head	1
ARGFM	Whelen ARGES Flat Mnt Spot Light	
	358118111Hella Hero Strobe Amber	2
	Requires Vehicle specific mounting adapter.	
358118411	Hella Hero Adapter A9	2
358118441	Hella Hero Plug Adapter for Silverado	2
FW-49-RB	Firewire Safety Wire LED 49 inch Red/Blue	1
TLMI-B	Whelen Mini Ion T-Series Blue	2
TLMI-R	Whelen Mini Ion T-Series Red	2
TIONMFC	Whelen Chrome Flange	4
SSFPOS	Whelen Positive Switching SS Flasher	1
SSF5150D	Whelen SSF5150D Tail Light Flasher	1
TLI-B	Whelen TLI Blue	3
TLI-R	Whelen TLI Red	3
TIONBKT1	Whelen ION T-Series L Bracket	4
091-219-5	Kussmaul 091-219-5 USB Dual Port 4.8A w/terminal connectors	4
8025	Magnetic Mic System	2
	LSH-MMBP-BRACKET LSH "L" Bracket Magnetic Mic Compatible	2
2602B	Egis 8025 RT Fuse Block 6 Circuit w/Ground -Mounted In Bed of Truck	1
	EGIS PDM 14 Circuit + Ground	1
	-Main Power Distribution	
MB8U25	Radio Coax 25'	4
60CREGCS	Whelen 6" White/ Red Dome Light	4
WBUA112	-One over Each Seat - Mounted to head liner	
90509	Whelen Backup Alarm	1
MISC	Streamlight Survivor LED Orange/ DC Fast	2
1612200	KRIEGER 1100 Watt 12V Power Inverter Dual110V AC Outlets	1
MISC	Westin Talon 12,500 Winch w/ Steel Rope	1
MISC	MISC57-93995 Westin HDX Winch Mount Grille Guard	
MISC	Heavy Duty Slider for Truck Bed	1
CC-WBOS-30 AC-	Pan with 2" Lip around outside edge and slated SCBA Holders	1
CHV19-MNT FP-	TROY CONSOLE WIDE BODY	1
WCENCOM-JD	Troy Console Floor Plate 2019+ Silverado, Standard or Wide Console	1
AC-INBHG	TROY 4" Face Plate For WHELEN CENCOM	1
AC-AP1	MISCTroy 3" Faceplate for BK Radio - Specified Radio	1
AC-AP1	Model needs to be provided at time of order	
AC-AP1	TROY BEV. HOLDER W/ GROMMETS	1
AC-AP3	Troy DC Power Outlet AC-AP1	1
AC-ARM	COVERSTroy Cover for DC Outlet	1
FP-KUSSMAUL-2 FP-	Troy 3 DC Outlet Face w/ Plugs	1
SGTRAY	TROY Arm Rest adj.	1
C-MD-112	Troy Faceplate for the Kussmaul USB Port	1
C-HDM-204	TROY SLOPPED 2" TRAY	1
51-03-130X	Havis 11" Slideout Locking Swing Arm with Motion Adapter	1
	Havis 8.5" Heavy Duty Telescoping Pole	1
	Kussmaul 15 Amp Super Waterproof Auto Eject w/cover to match truck color bar graph to be integrated	1
Wire-Loom	LSH Wire, Loom & Hardware For Installation	1
INSTALL	LABOR FOR INSTALLATION	62
	Troy 3" Faceplate for BK Radio	
	Radio Model	
	BK VHF-KNG-M150	1
	UHF-KNG-M500	1

ALL WIRES MUST BE HOT STAMPED

STANDARD EQUIPMENT-PICKUP TRUCK

Package

Trailer Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

Mechanical

Durabed, pickup bed

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

GVWR, 10,450 lbs. (4740 kg) (STD) (Included and only available with CK20743 model and (L8T) 6.6L V8 gas engine with 17" wheels or CK20903 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels.)

Air filter, heavy-duty

Air filtration monitoring

Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)

Auto-locking rear differential

Four wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Recovery hooks, front, frame-mounted, Black

Suspension Package

Steering, Recirculating Ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

Exterior

Wheels, 17" (43.2 cm) painted steel, Silver (STD)

Tires, LT245/75R17E all-season, blackwall (STD)

Exterior

Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHJ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHJ) LT245/75R17E all-season, blackwall tires are ordered)

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumpers, front, Black

Bumpers, rear, Black

CornerStep, rear bumper

BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

Moldings, beltline, Black

Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)

Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)

Headlamps, halogen reflector with halogen Daytime Running Lamps

Taillamps with incandescent tail, stop and reverse lights

Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel.

Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black

Mirror caps, Black

Glass, solar absorbing, tinted

Tailgate and bed rail protection cap, top

Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)

Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)

Door handles, Black grained

Entertainment

Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)

Bluetooth for phone connectivity to vehicle infotainment system

Interior

Seats, front 40/20/40 split-bench with upper covered armrest storage (STD)

Vinyl seat trim

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)

Floor covering, rubberized-vinyl (Not available with LPO floor liners.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5" diagonal monochromatic display

Exterior Temperature Display located in radio display

Rear Seat Reminder (Requires Crew Cab or Double Cab model.)

Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

Windows, power rear, express down (Not available with Regular Cab models.)

Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

USB ports, 2 (first row) located on instrument panel

Power outlet, front auxiliary, 12-volt

Air conditioning, single-zone

Air vents, rear, heating/cooling (Not available on Regular Cab models.)

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Processing-Other

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

VEHICLE RADIO/COMMUNICATION EQUIPMENT

QTY

BB2DDDD-LBIIPKG20	Whelen Libert II Duo Custom Lightbar	1
C399	Whelen CenCom Core Siren	1
CCTL6	Whelen CCTL6 Control Head for CenCom Core	1
	Required CenCom Core	
C399K2	Whelen ODBII CanPort Cable	1
CEM16	Whelen 16 Output, 4 Input WeCanX Expansion Module	1
COREHEXP1	*** Required C399 Siren Amplifer ***	
COREHEXP2	KDBCO Core Expansion Output Harness	1
	KDBCO Core Expansion Output Harness	1
SA315P	Whelen SA315P 100 Watt Speaker	1
SAK1	Whelen SA315P Bracket Universal	1
	Whelen SA315P Bracket - sak-model:Universal	
ARGES1	Whelen ARGES1 ARGES 5 Degree Remote Spot light	1
ARGCH1	Whelen ARGCH1 Arges Bail Mnt contro Head	1
ARGFM	Whelen ARGES Flat Mnt Spot Light	
	358118111Hella Hero Strobe Amber	2
	Requires Vehicle specific mounting adapter.	
358118411	Hella Hero Adapter A9	2
358118441	Hella Hero Plug Adapter for Silverado	2
FW-49-RB	Firewire Safety Wire LED 49 inch Red/Blue	1
TLMI-B	Whelen Mini Ion T-Series Blue	2
TLMI-R	Whelen Mini Ion T-Series Red	2
TIONMFC	Whelen Chrome Flange	4
SSFPOS	Whelen Positive Switching SS Flasher	1
SSF5150D	Whelen SSF5150D Tail Light Flasher	1
TLI-B	Whelen TLI Blue	3
TLI-R	Whelen TLI Red	3
TIONBKT1	Whelen ION T-Series L Bracket	4
091-219-5	Kussmaul 091-219-5 USB Dual Port 4.8A	
	w/terminal connectors	4
8025	Magnetic Mic System	2
	LSH-MMBP-BRACKET LSH "L" Bracket Magnetic Mic Compatible	2
2602B	Egis 8025 RT Fuse Block 6 Circuit w/Ground	1
	-Mounted In Bed of Truck	
	EGIS PDM 14 Circuit + Ground	1
	-Main Power Distribution	
MB8U25	Radio Coax 25'	4
60CREGCS	Whelen 6" White/ Red Dome Light	4
WBUA112	-One over Each Seat - Mounted to head liner	
90509	Whelen Backup Alarm	1
MISC	Streamlight Survivor LED Orange/ DC Fast	2
1612200	KRIEGER 1100 Watt 12V Power Inverter Dual110V AC Outlets	1
MISC	Westin Talon 12,500 Winch w/ Steel Rope	1
MISC	MISC57-93995 Westin HDX Winch Mount Grille Guard	
MISC	Heavy Duty Slider for Truck Bed	1
CC-WBOS-30 AC-	Pan with 2" Lip around outside edge and slated SCBA Holders	1
CHV19-MNT FP-	TROY CONSOLE WIDE BODY	1
WCENCOM-JD	Troy Console Floor Plate 2019+ Silverado, Standard or Wide Console	1
AC-INBHG	TROY 4" Face Plate For WHELEN CENCOM	1
AC-AP1	MISCTroy 3" Faceplate for BK Radio - Specified Radio	1
AC-AP1	Model needs to be provided at time of order	
AC-AP1	TROY BEV. HOLDER W/ GROMMETS	1
AC-AP3	Troy DC Power Outlet AC-AP1	1
AC-ARM	COVERSTroy Cover for DC Outlet	1
FP-KUSSMAUL-2 FP-	Troy 3 DC Outlet Face w/ Plugs	1
SGTRAY	TROY Arm Rest adj.	1
C-MD-112	Troy Faceplate for the Kussmaul USB Port	1
C-HDM-204	TROY SLOPPED 2" TRAY	1
51-03-130X	Havis 11" Slideout Locking Swing Arm with Motion Adapter	1
	Havis 8.5" Heavy Duty Telescoping Pole	1
	Kussmaul 15 Amp Super Waterproof Auto Eject w/cover to match truck	1
	color bar graph to be integrated	
Wire-Loom	LSH Wire, Loom & Hardware For Installation	1
INSTALL	LABOR FOR INSTALLATION	62
	Troy 3" Faceplate for BK Radio	
	Radio Model	
	BK VHF-KNG-M150	1
	UHF-KNG-M500	1

ALL WIRES MUST BE HOT STAMPED

STANDARD EQUIPMENT-SPORTS UTILITY VEHICLE

Mechanical

Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)

Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD)

Rear axle, 3.23 ratio

Mechanical

Suspension Package, Premium Smooth Ride (Included and only available with (5W4) Special Service Vehicle.) (STD)

GVWR, 7500 lbs. (3402 kg) (4WD models only.) (STD)

Automatic Stop/Start (Not available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)

Engine control, stop/start system disable button, non-latching

Engine air filtration monitor

Fuel, gasoline, E15

Transfer case, active, single-speed, electronic Autotrac does not include neutral. Cannot be dinghy towed (4WD models only. Deleted when (NHT) Max Trailering Package is ordered.)

Differential, mechanical limited-slip

4-wheel drive

Air filter, heavy-duty

Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator

Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil

Battery, 800 cold-cranking amps with 80 amp hour rating

Alternator, 220 amps

Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver

Trailer sway control

Hitch Guidance

Suspension, front coil-over-shock with stabilizer bar

Suspension, rear multi-link with coil springs

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Exhaust, single system, single-outlet

Mechanical Jack with tools

Exterior

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only.) (STD)

Exterior

Wheel, full-size spare, 17" (43.2 cm) steel

Tire, spare P265/70R17 all-season, blackwall

Tire carrier, lockable outside spare, winch-type mounted under frame at rear

Active aero shutters, upper

Fascia, front

Luggage rack side rails, roof-mounted, Black

Assist steps, Black with chrome accent strip

Headlamps, LED

Lamps, stop and tail, LED

Mirrors, outside heated power-adjustable, manual-folding, body-color

Mirror caps, body-color

Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)

Glass, acoustic, laminated

Glass, windshield shade band

Windshield, solar absorbing

Wipers, front intermittent, Rainsense

Wiper, rear intermittent with washer

Door handles, body-color

Liftgate, rear manual

Entertainment

Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system

SiriusXM Radio delete

Infotainment display, 8" diagonal touchscreen

Bluetooth for phone personal cell phone connectivity to vehicle audio system

Wireless Apple CarPlay/Wireless Android Auto

Entertainment

4G LTE Wi-Fi Hotspot capable (Standard with (UE1) OnStar only. Terms and limitations apply. See onstar.com or dealer for details.)

Interior

Seats, front 40/20/40 split-bench (Not available with (D07) center floor console and (USR) USB data ports.) (STD)

Keyless start, push button

Seat adjusters, 8-way power includes 6-way power front passenger seat with 2-way power lumbar

Seat adjusters, 10-way power includes 8-way power driver seat with 2-way power lumbar

Seats, second row 60/40 split-folding bench, manual

Seats, third row 60/40 split-folding bench, manual (Not available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)

Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)

Electronic Precision Shift

Steering column, lock control, electrical

Steering column, manual tilt and telescopic

Steering wheel, urethane

Steering wheel controls, mounted audio, Driver Information Center, cruise control and Forward Collision Alert following gap button (if equipped) (left backside Seek/Scan steering wheel radio buttons are inoperable; these 2 buttons can be repurposed for aftermarket emergency equipment)

Driver Information Center, 4.2" diagonal color display includes driver personalization

Rear Seat Reminder

Door locks, power programmable with lockout protection and delayed locking (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on driver door.)

Keyless Open includes extended range Remote Keyless Entry

Cruise control, electronic with set and resume speed

Theft-deterrent system, content, electrical, unauthorized entry

USB charging-only ports, 4, (2) located on rear of center console and (2) in 3rd row (1 left and 1 right side below quarter glass side window) (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, (2) type-C ports are moved to the rear of center seat base and (2) type-C are moved to the cargo area. Deleted when (A50) front bucket seats are ordered.)

Window, power with driver Express-Up/Down

Window, power with front passenger Express-Up/Down

Interior

Windows, power with rear Express-Down

Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants

Air conditioning, rear

Defogger, rear-window electric

Power outlets, 2, 120-volt, located on the rear of the center seat and rear cargo area

Power outlet, front auxiliary, 12-volt, located in the center stack of instrument panel

Mirror, inside rearview manual day/night

Visors, driver and front passenger illuminated vanity mirrors, sliding

Assist handles, overhead, driver and front passenger, located in headliner

Assist handles, front passenger A-pillar and second row outboard B-pillar (Deleted when SEO (7X2) left- and right-hand spotlamps or SEO (7X3) left-hand spotlamp are ordered.)

Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. On Police/Special Service vehicles, the control switch is located in the roof console in lieu of the driver - and passenger-side door switch with delayed entry feature.

Cargo management system

Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)

Safety-Mechanical

Automatic Emergency Braking

Hill Start Assist

StabiliTrak, stability control system with brake assist, includes traction control

Safety-Exterior

Daytime Running Lamps, reduced intensity low beam

Safety-Interior

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An invehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Safety-Interior

Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)

Rear Park Assist

Following Distance Indicator

HD Rear Vision Camera

Front Pedestrian Braking

Lane Keep Assist with Lane Departure Warning

Forward Collision Alert

Door locks, rear child security, manual

LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions (Deleted when (ATZ) second row seat delete is ordered.)

Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)

Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

VEHICLE RADIO/COMMUNICATION EQUIPMENT

		QTY
IW45UFX	Whelen Inner Edge XLP WeCAn DUO	1
DP84400	Whelen 8 Head Dominator Plus	1
C399	Whelen CenCom Core Siren	1
CCTL6	Whelen CCTL6 Control Head for CenCom Core	1
	Required CenCom Core	1
C399K2	Whelen ODBII CanPort Cable	1
SA315P	Whelen SA315P 100 Watt Speaker	1
SAK1	Whelen SA315P Bracket Universal	1
358118111	Whelen SA315P Bracket - sak-model:Universal	2
	Hella Hero Strobe Amber	
358118301	Requires Vehicle specific mounting adapter.	2
	Hella Hero Adapter A1	
2015-2018	For 2015-2020 Tahoe	2
358118371	F-150 Rear 2 Chamber	2
TLMI-B	Hella Hero Tahoe Installation Cable	2
TLMI-R	Whelen Mini Ion T-Series Blue	1
SSFPOS	Whelen Mini Ion T-Series Red	1
SSF5150D	Whelen Positive Switching SS Flasher	3
TLI-B	Whelen SSF5150D Tail Light Flasher	3
TLI-R	Whelen TLI Blue	4
TIONBKT1	Whelen TLI Red	2
091-219-5	Whelen ION T-Series L Bracket	2
MMBP	Kussmaul 091-219-5 USB Dual Port 4.8A w/terminal connectors	
8025	Magnetic Mic System LSH-MMBP-BRACKET	2
2602B	LSH "L" Bracket Magnetic Mic Compatible	1
MB8U25	Egis 8025 RT Fuse Block 6 Circuit w/Ground	2
60CREGCS	- Mounted In Bed of Truck	1
	EGIS PDM 14 Circuit + Groun- Main Power	2
90509	Distribution Radio Coax 25'	1
MISC	Whelen 6" White/ Red Dome Light - One over Each Seat - Mounted to head liner Streamlight Survivor LED Orange/ DC Fast KRIEGER 1100 Watt 12V Power CUP2-1001Inverter Dual110V AC Outlets	1
	Havis 20" Vehicle Specific Console 2015+Tahoe (PPV)	1
	Havis CUP2-1001 Self Adjusting Cup Holder	1
	FP-WCENCOM-JD TROY 4" Face Plate For WHELEN CENCOM	1
	Troy 3" Faceplate for BK Radio Radio Model	
	BK VHF-KNG-M150	1
	UHF-KNG-M500	1

ALL WIRES MUST BE HOT STAMPED