

REQUEST FOR PROPOSAL

BID DUE DATE: May 27, 2025 (5:00 pm MDST)

DESCRIPTION: Invitation for Bids for Fleet vehicles

BID NO. **25-05-3672SB**

CONTACT PERSON: Raymond Holyan, Department Manager III
Fleet Management Department
Division of General Services
THE NAVAJO NATION
Telephone Number: (928) 871-6662
Fax Number: (928) 871-7038

RETURN ALL RESPONSES TO:

DELIVER TO: THE NAVAJO NATION
Fleet Management Department
Building 2749, Indian Route 100
Window Rock, Arizona 86515
ATTN: Verna S. Yazzie
BID NO. **25-05-3672SB**

OR

MAIL TO: THE NAVAJO NATION
Fleet Management Department
Post Office Box 608
Window Rock, Arizona 86515
ATTN: Verna S. Yazzie
BID NO. **25-05-3672SB**

(Must identify Bid# and Company Name on the outside of a sealed envelope)

Please submit an original, and two extra (2) copies of your bid to be enclosed in One sealed envelope, with the following attachments: 2025 W-9, and NN Debarment form.

Proposals will not be accepted after deadline

No facsimile, electronic or telephone proposals will be accepted

Bid shall include vehicle & upfit pricing into One complete price bid

Navajo Nation Fleet Management Department follows the Navajo Nation Business Opportunity Act.
<https://www.nnooc.org/request-for-proposals/>

A. PURPOSE OF THIS REQUEST FOR PROPOSAL (RFP)

The Navajo Nation Fleet Management Department within the Division of General Services is seeking to purchase eighteen (18) Pick-Up Trucks, the models and size of the pick-up trucks all vary (Double Cabs, Regular Cabs, Service Bodied, and Dual Wheels). The specification is attached by exhibits (A, B, C, D, & F), please review carefully. All respective auto dealers must be from an authorized and fully certified licensed automotive dealership that meets all the standards and qualifications from the vehicle manufactures in terms of facilities, equipment, parts, tools and trained technicians to handle all required services. Vehicles must be delivered in a timely manner as bid evaluation will be based on most responsive bid. Bid price shall be F.O.B. (Freight on Board) to Window Rock and to the designated delivery point at Fleet Management Department. Vehicles shall be delivered to the Navajo Nation free from any purchase money or other lien or security interest notwithstanding any applicable Navajo Nation sales Tax. The manufacturer's published warranty for each vehicle shall apply to all vehicles purchased by the Fleet Management Department.

B. CONDITIONS GOVERNING THE PROCUREMENT

Bid price shall be effective on date of award and the availability of funds will determine the number of vehicles to be purchased, and additional Navajo Nation procurement for like-kind and quality of vehicle, also qualified for bid price. Fleet Management personnel will make on-site visits to either manufacturer's/bidder's facilities, as needed, to ensure compliance with specifications are met, or approve any deviations, if necessary.

Time schedule for advertisement and deadline for bid submissions will follow the chart as indicated:

Advertise Request for Proposal	DATE: May 8, 2025
Deadline for RFP Submittals	DATE: May 27, 2025
Official Opening Bid Proposals	DATE: June 2, 2025
Award Bid	DATE: June 3, 2025 <i>(Tentatively)</i>

The dates on the time schedule are all tentative, any changes will be at the discretion of Fleet Management Department.

The respective bidder must disclose upfit vendor, location, and pricing of all upfit parts and installation fees. Schematics of wiring diagram shall be submitted once bidder is identified. Pricing of the upfit should match the specification/price sheet on exhibit A.

A selection criterion will be used to determine an adequate responsive bidder and they are as follows:

Criteria	Weighted Points
Responsiveness/Complete Bid Submission	5 POINTS
Pricing	5 POINTS
Specification	5 POINTS
Vehicle Availability	5 POINTS
Total	20 POINTS

The respective bidder shall include the Navajo Nation Sales Tax, 6% on all goods and services pertaining to this proposal, Navajo Nation sales tax (6%) [24 NNC § 601et seg.]. For more information or specific questions regarding the applicable sales tax, please contact the Office of the Navajo Tax Commission, Compliance Department at 928-871-6681.

Fleet reserves the right to reject any and all proposals.

All upfit personnel must be EVT (Emergency Vehicle Technician) certified to perform emergency equipment installation and repairs.

The Navajo Nation Fleet Management will receive, at time of delivery of vehicles, all pertinent documents necessary for titling and licensing vehicles, documents include Manufacturer's Statement of Origin, Odometer statement. Provide schematics of the upfit. Only Fleet Management will be responsible for registering all vehicles through the Navajo Nation Property Management Department.

The Navajo Nation is a sovereign government and all contracts entered because of the RFP shall comply with the Navajo Nation Laws, rules and regulations, Navajo Business Opportunity Act and including the Navajo Preference in Employment Act, and applicable federal law, rules, and regulations.

C. SPECIFICATIONS

See the following attachments (exhibit A – 2500HD 4WD Double Cab 149” Work Truck), (exhibit B – 2500HD 4WD Regular Cab 142” Work Truck), (exhibit C – 1500 4WD Double Cab 147” Work Truck), (exhibit D – 2500HD 4WD Regular Cab 142” Service Body Work Truck), and (exhibit F – 3500HD 4WD Regular Cab 142” Dual Rear Wheels Work Truck) for specifications for each class of vehicle and quantity required, including any additional not included in exhibits. Bid price must meet minimum specification or exceed minimum specifications. Bid must note any exceptions.

FLEET MANAGEMENT DEPARTMENT

Vehicle Acquisition

Bid Number: 25-05-3672SB

2025/2026 Vehicle Specifications

Vehicle Class	Description	Quantity
IV	2025/2026 2500HD 4WD Double Cab 149" Work Truck CK20753 Model or Equal	8
IV	2025/2026 2500HD 4WD Regular Cab 142" Work Truck CK20903 Model or Equal	4
III	2025/2026 1500 4WD Double Cab 147" Work Truck CK10753 Model or Equal	2
IV	2025/2026 2500HD 4WD Regular Cab 142" Work Truck Serviced Bodied Truck CK20903 Model or Equal	3
V	2025/2026 3500HD 4WD Regular Cab 142" Work Truck Dual Rear Wheels Truck CK30903 Model or Equal	1
Total:		<u>18</u>

Class IV

2025/2026 2500HD 4WD Double Cab 149" Work Truck

CK20753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Durabed, pickup bed			
Engine - 6.6L V8 w/ Direct Injection and Variable Valve Timing, gasoline, (401 hp@5200 rpm, 464 lb.-ft of torque @ 4000 rpm (STD)			
Transmission, Allison 10-speed automatic			
Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine.			
GVWR, 10,350 lbs. (4695 kg) (STD) (Included and only available with CK20753 and (L8T) 6.6L V8 gas engine			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance			
Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine			
Exhaust, single, side			
EXTERIOR			
Wheels, 17" (43.2 cm) painted steel, Silver (STD)			
Tires, LT265/70R17E all-terrain, blackwall (STD)			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door			
Paint Color - Summit White			
Bumpers, front, Black			
Bumpers, rear, Black			
Corner Step, rear bumper			
Bed Step, Black integrated on forward portion of bed on driver and passenger side			
Moldings, beltline, Black			
Cargo tie downs (12), fixed rated at 500 lbs. per corner			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			

Class IV

2025/2026 2500HD 4WD Double Cab 149" Work Truck

CK20753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside heated power-adjustable, manual folding (passenger mirror includes flat glass, not convex) smaller non-trailer mirror, 11.2" x 7.15" WT convenience package			
Mirror caps, Black			
Glass, deep-tinted (Include with (PCV) WT convenience package.)			
Tailgate, standard			
Tailgate and bed rail protection cap, top			
Tailgate, locking, utilizes same key as ignition and door			
Tailgate, gate function manual, with EZ Lift includes power lock			
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)			
Floor covering, color-keyed carpeting			
LPO, all-weather floor liners 1st and 2nd rows on double cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Windows, power rear, express down			
Defogger, rear window electric			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			

Class IV

2025/2026 2500HD 4WD Double Cab 149" Work Truck

CK20753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Air vents, rear, heating/cooling			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil pan, front axle and transfer case			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for hitching			
Lane Departure Warning			
Following Distance Indicator			
Forward Collision Alert			
Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)			
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Tire Pressure Monitoring System			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response. for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)			

2025/2026 2500HD 4WD Double Cab 149" Work Truck

CK20753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: _____ Qty.: 8 Unit Price: _____ Upfit Price: _____ Total Tax \$ _____ Total \$ _____ Approximate Delivery _____ Date

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb. -ft of torque [629 N-m] @ 4000 rpm) (STD)			
Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)			
Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine			
GVWR, 10,250 lbs. (4649 kg) (STD) (Included and only available with CK20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-free with rundown protection and retained accessory power			
Alternator, 170 amps			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALiFE rotors			
Brake lining wear indicator			
Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)			
Exhaust, single, side			
EXTERIOR			
Wheels, 17" (43.2 cm) painted steel, Silver (STD)			
Tires, LT265/70R17E all-terrain, blackwall (STD)			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door			
Durabed, pickup bed (STD)			
Paint Color - Summit White			
Bumpers, front, Black			
Bumpers, rear, Black			
Corner Step, rear bumper			
Bed Step, Black integrated on forward portion of bed on driver and passenger side			
Moldings, beltline, Black			

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Cargo tie downs (12), fixed rated at 500 lbs. per corner			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside power-adjustable vertical trailing with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending			
Mirror caps, Black			
Glass, deep-tinted			
Tailgate, standard			
Tailgate and bed rail protection cap, top			
Tailgate, locking, utilizes same key as ignition and door			
Tailgate, EZ Lift power lock and release tailgate			
Trailer Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance			
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Floor covering, color-keyed carpeting			
LPO, All-weather floor liners 1st row only on Regular Cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Tinted windows and rear-window defogger			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			
Air vents, rear, heating/cooling			
Trailer mirrors			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil pan, front axle and transfer case			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for hitching			
Lane Departure Warning			
Following Distance Indicator			
Forward Collision Alert			
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu			
Tire Pressure Monitoring System			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)			

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: Qty.: 4 Unit Price: Upfit Price: Total Tax \$ Total \$ Approximate Delivery Date

Class III

2025/2026 1500 4WD Double Cab 147" Work Truck

CK10753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Durabed, pickup bed			
Engine, 5.3L EcoTec3 V8 (355 hp [265 kW]@ 5600 rpm, 383 lb.-ft of torque [518 Nm] @4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency			
Transmission , 10-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking			
Rear axle, 3.23 ratio			
GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 VB engine.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, single-speed electronic autotrac with push button controls			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr. maintenance			
Alternator, 220 amps			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section			
Auto-locking rear differential			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Electric Power Steering assist, rack and pinion			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless Fuel Fill			
Exhaust, single, side			
EXTERIOR			
Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)			
Tires, LT265/70R17E all-terrain, blackwall (STD)			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door			
Paint Color - Summit White			
Bumpers, front, Black			
Bumpers, rear, Black			
Corner Step, rear bumper			

Class III

2025/2026 1500 4WD Double Cab 147" Work Truck

CK10753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Bed Step, Black integrated on forward portion of bed on driver and passenger side			
Moldings, beltline, Black			
Cargo tie downs (12), fixed rated at 500 lbs. per corner			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside heated power-adjustable, manual folding (passenger mirror includes flat glass, not convex) smaller non-trailer mirror, 11.2" x 7.15" WT convenience package			
Mirror caps, Black			
Glass, deep-tinted (Include with (PCV) WT convenience package.)			
Tailgate, standard			
Tailgate and bed rail protection cap, top			
Tailgate, locking, utilizes same key as ignition and door			
Tailgate, gate function manual, with EZ Lift includes power lock			
Door handles, Black			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)			
Audio system feature, 6 speaker system			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)			
Floor covering, color-keyed carpeting			
LPO, all-weather floor liners 1st and 2nd rows on double cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			

Class III

2025/2026 1500 4WD Double Cab 147" Work Truck

CK10753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Compass located in instrument cluster			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Windows, power rear, express down			
Defogger, rear window electric			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone-zone manual			
Air vents, rear, heating/cooling			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil pan, front axle and transfer case			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for hitching			
Trailer Package includes trailer hitch, 7-pin and 4-pin connectors			
Lane Departure Warning			
Following Distance Indicator			
Forward Collision Alert			
Seat Belt Adjustable Guide Loops, front row only (Included and only available on Crew Cab and Double Cab models.)			

Class III

2025/2026 1500 4WD Double Cab 147" Work Truck

CK10753 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu			
Rear Seat Reminder (Requires Crew Cab or Double Cab model.)			
Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)			
Tire Pressure Monitoring System, auto learn includes Tire Fill Alert			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)			
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: _____ Qty.: 2 Unit Price: _____ Upfit Price: _____ Total Tax \$ _____ Total \$ _____ Approximate Delivery _____ Date _____

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401. hp [299 kW] @ 5200 rpm, 464 lb. -ft of torque [629 N-m]@ 4000 rpm) (STD)			
Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)			
Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine			
GVWR, 10,250 lbs. (4649 kg) (STD) (Included and only available with CK20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-free with rundown protection and retained accessory power			
Alternator, 170 amps			
Trailer brake controller, integrated			
Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)			
Exhaust, single, side			
BODY CODE			
Pickup bed, delete includes capped fuel fill, (SFW) Back-up alarm calibrator, (9L14) rear bumper delete, (9L3) spare tire delete and spare tire carrier delete. (Requires long bed model and 17" wheels.)			
EXTERIOR			
Wheels, 17" (43.2 cm) painted steel, Silver (STD)			
Tires, LT265/70R17E all-terrain, blackwall (STD)			
Tire, spare LT265/70R17E all-terrain, blackwall (STD)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door			
Durabac, pickup bed (STD)			
Bumper, rear, delete			
Paint Color - Summit White			

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Bumpers, front, Black			
Moldings, beltline, Black			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside power-adjustable vertical trailing with heated and auto-dimming; upper glass lower convex mirrors, turn signal indicators, puddle lamps, (U12) perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm])			
Mirror caps, Black			
Glass, deep-tinted			
Trailer Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance			
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Floor covering, color-keyed carpeting			
LPO, All-weather floor liners 1st row only on Regular Cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Tinted windows and rear-window defogger			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Air vents, rear, heating/cooling			
Trailer mirrors			
Mirror, inside rearview, manual tilt			
Assist handles: front A-pillar mounted for driver and passenger, rear B-pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil pan, front axle and transfer case			
Capped Fuel Fill			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
Rear Camera Kit includes camera, fixed position bracket & 19 ft cable with attachment clips. Rear camera radio calibration provided from the factory.			
Hitch Guidance dynamic single line to aid in trailer alignment for hitching			
Lane Departure Warning			
Following Distance Indicator			
Forward Collision Alert			
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu			
Back-up alarm calibration This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting			
Tire Pressure Monitoring System			

Class IV

2025/2026 2500HD 4WD Regular Cab 142" Work Truck

Serviced Bodied Truck CK20903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible sofMare. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)			
Serviced Body Spec. - DEALER CAB CHASSIS 56" CA SRW			
STOCK BODY - 40-VO-98 40"H ROYAL BODY w/OPEN TOP LIDS ROYAL'S SECURITY HARDWARE, ONE-KEY SOLUTION AUTOMOTIVE LOCK PKG, ALUMINUM LID COVERS, APPEARANCE PACKAGE, 8" RECESSED ROYAL BUMPER, LED LEGAL LIGHT PKG.REMOVABLE STORAGE BINS IN OPEN TOP COMPARTMENTS BOTH SIDES, 4 TIE DOWNS IN BED AREA.WEIGHT CERT. PAINTED WHITE AND INSTALLED.			
R-1-98-15-REG - REG TAPERED OVER CAB RACK W/SWINGAWAY REAR X-BAR- 98"			
H-2SC - SERVICE BODY/COMBO CLASS 5 RECEIVER HITCH (2-1/2" RECEIVER TUBE) AND HITCH INSERT, 16,000 LBS GTW			
H-4 - 7 BLADE/ 4 PIN TRAILER CONNECTOR			
CAMGM - CAMERA GM ***NOT FOR CHASSIS 360 DEGREE CAMERA OPTION**** -**CHASSIS MUST BE EQUIPPED WITH FACTORY REAR VIEW CAMERA PROVISIONS***			
MK98GMSG - GM GAS MOUNTING KIT 98 SINGLE			
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: _____ Qty.: 3 Unit Price: _____ Upfit Price: _____ Total Tax \$ _____ Total \$ _____ Approximate Delivery _____ Date

2025/2026 3500HD 4WD Regular Cab 142" Work Truck

Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
MECHANICAL			
Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401. hp [299 kW] @ 5200 rpm, 464 lb. -ft of torque [629 N-m]@ 4000 rpm) (STD)			
Transmission, Allison 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)			
Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine			
GVWR, 14,000 lbs. (6350 kg) with dual rear wheels (Included and only available with dual rear wheels and long bed model.)			
Push Button Start			
Air filter, heavy-duty			
Air filtration monitoring			
Transfer case, two-speed electronic shift with push button controls (Require: 4WD models.)			
Auto-locking rear differential			
Four wheel drive			
Cooling, external engine oil cooler			
Cooling, auxiliary external transmission oil cooler			
Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr. maintenance-free with rundown protection and retained accessory power			
Alternator, 170 amps			
Trailer brake controller, integrated			
Frame, fully -boxed, hydroformed front section and a fully-boxed stamped rear section			
Recovery hooks, front, frame-mounted, Black			
Suspension Package			
Steering, Recirculating Ball with smart flow power steering system			
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors			
Brake lining wear indicator			
Capless fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)			
Exhaust , single, side			
EXTERIOR			
Wheels, 18" (45.7 cm) Polished forged aluminum			
Tires, LT235/80R18 all-terrain, Blackwall (Available on dual rear wheels only. Requires (021) 18" polished forged aluminum wheels.)			
Tire, spare LT235/80R18 blackwall all-terrain (Available on dual rear wheels only. Requires (OHY) LT235/80R18 blackwall all-terrain tires.)			
Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door			
Durabed,pickup bed (STD)			
WT Convenience Package includes (QT5) EZ Lift power lock and release tailgate			
Tailgate, locking, utilizes same key as ignition and door			
Gooseneck/ 5th Wheel Prep Package - Hitch platform to accept			

Class V

2025/2026 3500HD 4WD Regular Cab 142" Work Truck

Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Gooseneck or 5th Wheel hitch. Includes hitch platform with tray to accept ball, stamped bed holes with removable caps installed and bed mounted 7-pin trailer harness (similar to UY2 harness). (Regular Cab model requires (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package. Includes (CGN) Chevytec spray-on bedliner. Not available with (ZW9) pickup bed delete)			
Paint Color - Summit White			
Bumpers, rear, Black			
Bumpers, front, Black			
Moldings, beltline, Black			
Headlamps, halogen reflector with halogen Daytime Running Lamps			
IntelliBeam, automatic high beam on/off			
Taillamps with incandescent tail, stop and reverse lights			
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel			
Mirrors, outside power-adjustable vertical trailering with heated and auto-dimming upper glass lower convex mirrors, turn signal indicators, puddle lamps, (U12) perimeter lighting, auxiliary lighting, power folding/manual extending (extends 3.31" [84.25mm])			
Mirror caps, Black			
Glass, deep-tinted			
Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance			
Chevytec spray-on bedliner Black (does not include spray-on liner on tailgate due to Black composite inner panel) (Included with (26A) Gooseneck/ 5th Wheel Prep Package			
Lamps, Smoked Amber roof marker			
Bed Step, Black integrated on forward portion of bed on driver and passenger side			
Corner Step, rear bumper			
Cargo tie downs (12), fixed, rated at 500 lbs. per corner			
Tailgate and bed rail protection cap, top			
Door handles, Black grained			
INTERIOR/COMFORT			
Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)			
Jet Black, Cloth seat trim			
Radio - Audio system, Chevy Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)			
Audio system feature, 2-speakers			
Seat adjuster, driver 4-way manual			
Seat adjuster, passenger 4-way manual			
Floor covering, color-keyed carpeting			

Class V

2025/2026 3500HD 4WD Regular Cab 142" Work Truck

Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
LPO, All-weather floor liners 1st row only on Regular Cab			
Steering wheel, urethane			
Steering column, Tilt-Wheel, manual with wheel locking security feature			
Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure			
Driver Information Center, 3.5" diagonal monochromatic display			
Exterior Temperature Display located in radio display			
Compass located in instrument cluster			
Tinted windows and rear-window defogger electric			
Window, power front, drivers express up/down			
Window, power front, passenger express down			
Door locks, power			
Remote Keyless Entry with 2 transmitters			
Cruise control, electronic with set and resume speed, steering wheel mounted			
USB Ports, 2, Charge/Data ports located on instrument panel			
Power outlet, front auxiliary, 12-volt			
Air conditioning, single-zone			
Air vents, rear, heating/cooling			
Trailer mirrors			
Mirror, inside rearview, manual tilt			
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted			
Chevrolet Connected Access capable			
SAFETY/MECHANICAL			
Skid Plates protect the oil pan, front axle and transfer case			
Capped Fuel Fill			
Automatic Emergency Braking			
Front Pedestrian Braking			
StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist			
SAFETY/EXTERIOR			
Daytime Running Lamps with automatic exterior lamp control			
SAFETY/INTERIOR			
Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.			
OnStar Services capable			
HD Rear Vision Camera			
Hitch Guidance dynamic single line to aid in trailer alignment for hitching			

Class V

2025/2026 3500HD 4WD Regular Cab 142" Work Truck

Dual Rear Wheels Truck CK30903 Model or Equal

Minimum Specification Requirements	YES	NO	EXCEPTIONS TAKEN
Lane Departure Warning			
Following Distance Indicator			
Forward Collision Alert			
Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu			
Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering			
Tire Pressure Monitoring System with Tire Fill Alert			
OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible sofMare. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)			
WARRANTY			
Warranty Note: <<< Preliminary 2025 Warranty >>>			
Basic Years: 3			
Basic Miles/km: 36,000			
Drivetrain Years: 5			
Drivetrain Miles/km: 60,000			
Corrosion Years (Rust-Through): 6			
Corrosion Years: 3			
Corrosion Miles/km (Rust-Through): 100,000			
Corrosion Miles/km: 36,000			

Comply Minimum Spec: _____ Qty.: 1 Unit Price: _____ Upfit Price: _____ Total Tax \$ _____ Total \$ _____ Approximate Delivery _____ Date