REQUEST FOR PROPOSAL (REBID) RFP NO: 25-06-3730GC

The Navajo Nation Division of General Services (DGS) is seeking qualified suppliers to provide a bid proposal for Heavy Equipment and Machinery.

The proposal shall include one (1) original and three (3) duplicate copies of the following:

1. Fee Schedule in its own sealed envelope inside the bid packet. Clearly indicate "FEE SCHEDULE" on the sealed envelope.

The proposer who submits the best proposal in terms of best quality and lowest cost on the specified materials will be selected. Adherence to the bid instructions is paramount, otherwise, the bid will be disqualified for non-compliance.

The proposal shall be delivered, in person, in a sealed envelope to:

"2025 DGS Machinery" (REBID) RFP #: 25-06-3730GC – DO NOT OPEN" Attn: Shawnevan Dale, Division Director Division of General Services ADMINISTRATION BUILDING #1-2nd FLOOR Window Rock Blvd., Window Rock, Arizona 86515

OR EXPEDITED MAIL TO:

Division of General Services Attn: Shawnevan Dale, Division Director Administration Building #1-Second Floor 2559 Indian Route 100 Window Rock, Arizona 86515 "2025 DGS Machinery" (REBID) RFP #: 25-06-3730GC – DO NOT OPEN"

Bid documents and supplemental information (if applicable) regarding the project is available online at www.nnooc.org link: Purchasing. If there are any questions regarding this Request for Proposal call Shawnevan Dale at (928) 871-6311 or email at <u>sdale@navajo-nsn.gov</u>.

Then Navajo Nation reserves the right to reject any and all proposals not within the projected budget and may elect to award the contract not solely on the bid amount but the bidder's qualification. The due date for the proposal is *June 27, 2025*, at *5:00 pm*, MST.

INSTRUCTIONS TO BIDDERS AND GENERAL INFORMATION

SCOPE OF WORK

Equipment must be new. Pricing shall include equipment, warranty, sales tax, freight, discounts, etc. Shipping and delivery are to the Navajo Nation Facility Maintenance Department in Fort Defiance, Arizona.

Delivery shall be made within <u>120</u> days after a purchase order has been issued. Specifications regarding warranty on materials shall be included in the proposal.

The Navajo Nation is not responsible for any "Down Time" including late delivery of materials, any act of negligence on the supplier's part, and any unforeseen occurrence. These are not billable to the Navajo Nation and will not be considered for payment.

SPECIFICATIONS

See Attached Specifications.

CONDITIONS GOVERNING THE INVITATIONS FOR BIDS

Must be an authorized and fully certified licensed dealership that meets all the standards and qualifications of the vehicle manufacturers. Since the Navajo Nation is a Sovereign government, all contracts entered shall comply with all Navajo Nation laws, rules, and regulations as well as applicable federal laws, rules, and regulations.

AWARD OF BID – REJECTION OF BID

The DGS reserves the right to accept bids all or in part. At the time of acceptance, the DGS also reserves the right to increase or decrease quantities of any item at the same price bid. The DGS reserves the right to reject any or all bids or to accept any bid that in its judgment will be in the best interest of the general public. It is the intention to award the contract to the lowest responsible bidder best meeting the requirement.

PREFERENCE OF NAVAJO AND INDIAN-OWNED BUSINESS

Preference for Navajo and Indian-owned businesses will be given under the Navajo Nation Business Opportunity Act, 5 NNC §201 et. Seq. and the Navajo Nation Procurement Act 12 NNC §303. Certification of Navajo Owned Business will be assured by a certificate held by the Navajo Business Regulatory Department.

NAVAJO NATION SALES TAXES

All work performed within the territorial jurisdiction of the Navajo Nation is subject to the six percent (6%) Navajo Sales TAX. 24 N.N.C §601 et. Seq. The Navajo Nation shall withhold from each payment to the "CONTRACTOR" 6% of the total invoice amount associated with work performed within the Navajo Nation. This account reflects the Navajo Sales Tax due on such invoice amount. This 6% shall be transferred to the Office of the Navajo Tax Commission as a payment of the tax on behalf of the "CONTRACTOR".

BID INSTRUCTIONS

All bid proposals shall be submitted in a sealed envelope, marked, and addressed as follows:

"2024 DGS Machinery" (REBID) RFP #: 25-06-3730GC – DO NOT OPEN"

The name and address of the bidding firm should be shown in the upper left-hand corner of the envelope.

EVALUATION AND CRITERIA

Each bid must be accompanied by a letter of transmittal. The letter of transmittal shall contain the following:

- 1. Provide Statements of Qualifications (If Applicable).
- 2. Identify the name, title, and telephone numbers of the person authorized to negotiate on behalf of the organization.
- 3. Certified licensed dealership that meets all standards and qualifications.
- 4. Navajo Preference Certificate of Eligibility issued by the Navajo Business Regulatory Department.
- 5. Required Insurance documents, i.e. Certificate of Liability Insurance.
- 6. Completed and signed W-9 Form.
- 7. Completed and signed Navajo Nation Certification Regarding Debarment and Suspension.

The following point criteria will be used by the bid committee in the selection process for contract award. Proposals will be evaluated to determine the best vendor.

EVALUATION CRITERIA	POINTS
Bid Organization	
a. Typed proposal on 8-1/2" x 11" paper	10
b. Binding and Indexing	10
c. One Original bid with 3 copies	
Letter of Transmittal	
a. Provide Statement of Qualifications	
b. Identifying individual(s) as specified above	15
c. Provide completed and signed documents, Certificate of General	
Liability, NN Debarment and Suspension, and W-9 Form.	
Conditions Governing the Invitation for Bids	
Must be an authorized and fully certified licensed dealership that meets	10
all the standards and qualifications.	
Proposed Cost	
a. Equipment	
b. Warranty	60
c. Extended warranty (with cost/without cost)	
d. Availability	
Total Possible Maximum Score	95

SCHEDULE OF ACTIVITIES

DEADLINE

1.	Public Advertisement	June 9, 2025
2.	Proposals Submissions DUE	June 27, 2025
3.	Bid Opening	June 30, 2025 @ 11am (MDST)

AVAILABILITY OF BID DOCUMENTS

Bid Proposal documents are available on the website at <u>www.nnooc.org</u> and at the Navajo Nation Division of General Services located at the Administration Building #1-2nd Floor, Window Rock, Boulevard, Window Rock, Arizona 86515 between the hours of 8:00 A.M. and 5:00 P.M. (MST) Monday through Friday. For more information, contact *Shawnevan Dale, Division Director* at (928) 871-6311.

PROPOSAL SUBMISSION

Sealed bid proposals shall be submitted to the Navajo Nation Division of General Services, Administration Building #1-Second Floor, 2559 Indian Route 100, Window Rock, Arizona 86515 before 5:00 p.m. on June 16, 2025. Respondents who are expedited mailing their proposals should allow sufficient time for expedited mail delivery to ensure receipt by the time specified. Late proposals will not be accepted.

BID OPENING

The Bid Opening meeting is scheduled for June 30, 2025 @11:00 am. The location will be at the Division of General Services, Window Rock, AZ 86515.

WITHDRAWAL OF BID

No bid proposal shall be withdrawn for 60 calendar days after the opening of the bid without the consent of the owner.

DEVIATIONS

All specifications listed are intended to be preferred design and performance. Where deviations from the specification are necessary, the bidder will render equivalent reliability or performance. If there is insufficient room for detailing deviation, please indicate "see deviation" and attach, clearly indicating the bullet number on any such attachments. Failure to detail all such deviations will provide a basis for rejection of the entire proposal. Substantial deviations will not be considered.

SPECIFICATIONS

2025 Skytrak 8042 Telehandler Forklift (With Standard Carriage-50")

Performance

8,000-lb / 3,629-kg 12-ft 4-in / 12.9-m 5,000-lb / 2,722-kg 19-ft 6-in / 9.0-m ,600-lb / 726-kg 0 Degrees 5.5 sec 2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
5,000-lb / 2,722-kg 19-ft 6-in / 9.0-m ,600-lb / 726-kg 0 Degrees 5.5 sec 2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
9-ft 6-in / 9.0-m ,600-lb / 726-kg 0 Degrees 5.5 sec 2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
,600-lb / 726-kg 0 Degrees 5.5 sec 2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
0 Degrees 5.5 sec 2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
5.5 sec 2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
2.3 sec 4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
4.6 sec 2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 11,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
2 sec 5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 21,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
5 mph / 24.1 km/h 5,062-lb / 67-kN 2-ft 10-in / 3.9-m 21,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
5,062-lb / 67-kN 2-ft 10-in / 3.9-m 1,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
2-ft 10-in / 3.9-m 21,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
21,200-lb / 9,616-kg Deutz TCD2.9 L4 4 77 cu in / 2.9 L 4 hp / 55 kW @ 2,400 rpm	
Deutz TCD2.9 L4 4 77 cu in / 2.9 L 44 hp / 55 kW @ 2,400 rpm	
l 77 cu in / 2.9 L 14 hp / 55 kW @ 2,400 rpm	
l 77 cu in / 2.9 L 14 hp / 55 kW @ 2,400 rpm	
77 cu in / 2.9 L 14 hp / 55 kW @ 2,400 rpm	
4 hp / 55 kW @ 2,400 rpm	
221lb-ft / 300 Nm	
28 gal / 106 L	
ed reverse	
stem.	
c brakes with inching feature	<u>.</u>
70/75-28 Pneumatic	
oam-Filled, Solid, Turf , Nor oam-Filled) , 15.5-25 Pneum	
Integrated arm rest	 Rear view mirrors
High visibility seatbelt	 Single joystick controls
LED Motion / Amber	
Beacon (CS550)	
heel crab, 2-wheel front.	
 Large LCD Display for 	 Temperature gauge
Diagnostics	 Speedometer
Tachometer	
lacionetei	
nent	
nent	
	brakes with inching feature 70/75-28 Pneumatic oam-Filled, Solid, Turf , Nor oam-Filled) , 15.5-25 Pneum Integrated arm rest High visibility seatbelt LED Motion / Amber Beacon (CS550)

CAT® 302 CR Mini Excavator

ENGINE	HYDRAULICS
Cat C1.1 Engine (U.S. EPA Tier 4 Final/EU	Smart Tech Electronic Pump
Stage V)	Accumulator
Automatic Engine Idle	Automatic Swing Brake
Automatic Engine Shutdown	Auxiliary Hydraulic Lines
Automatic Two Speed Travel	One and Two Way Auxiliary Flow
Fuel Water Separator	Continuous Auxiliary Flow
Power on Demand (not available in all	Auxiliary Line Quick Disconnects
regions)	
Variable Displacement Piston Pump	
Load Sensing/Flow Sharing Hydraulics	
OPERATOR ENVIRONMENT	UNDERCARRIAGE
Tilt-up Canopy or Tilt-Up Cab	Expandable Undercarriage
Top Guard ISO 10262:1998 Level I	Rubber Belt (250 mm/10 in wide)
ROPS - ISO 12117-2:2008	Dozer Blade
TOPS - ISO 12117:1997	Dozer Blade Float
95%	Hydraulic Track Adjusters
3.4 psi	Tie Downs on Track Frame
Machine 2-Point Lifting	
Stick Steer Mode	
Travel Cruise Control	BOOM, STICK AND LINKAGES
Control Pattern Changer (optional in some	One Piece Boom (1850 mm/73 in)
regions)	Standard Stick (960 mm/37.8 in)
Adjustable Wrist Rests	Front Shovel Capable
Washable Floor Mat	Front Shovel Capable - Pin-On
Travel Pedals and Hand Levers	Thumb Ready (not available in all regions)
Machine Security	Certified Lifting Eye (optional in some
Machine Security - Standard Key with Pass	regions)
Code	
Fabric Suspension Seat (Cab only)	ELECTRICAL
Vinyl Suspension Seat (Canopy only)	12 Volt Battery
Hydraulic Lockout – All Controls	Software (machine and monitor)
Retractable High Visibility Seat Belt (75	Maintenance Free Battery
mm/3 in)	Signaling/Warning Horn
Coat Hook	12 Volt Power Socket
Cup Holder	
Storage Pocket	
Skylight	
Mounting Bosses for Front	
Signaling/Warning Horn	
Interior Light (Cab only)	

Boom Light, Halogen
Utility Space for Mobile Phone
Next Generation Color LCD Monitor (IP66)
- Fuel Level and Coolant Temperature Gauges
- Maintenance and Machine Monitoring
- Performance and Machine Adjustments
- Numeric Security Code
- Multiple Languages
- Hour Meter with Wake Up Switch

TOTAL MACHINERY: <u>2</u> (1 item each).